OMB Control No. 2900-0779 Respondent Burden: 30 Minutes Expiration Date: 05/31/2021

\mathbf{N}	AMYOTROPHIC LATE	RAL SCLEROSIS (LOU GEHRIG'S DISEAS	
Department of Veterans Affairs	DISABILI	TY BENEFITS QUÈSTIONNAIRE	•
IMPORTANT - THE DEPARTMENT OF VETERANS AFF PROCESS OF COMPLETING AND/OR SUBMITTING THI BEFORE COMPLETING FORM.			
NAME OF PATIENT/VETERAN			
PATIENT/VETERAN'S SOCIAL SECURITY NUMBER			
NOTE TO PHYSICIAN Vour patient is applying to the U	S Department of Veterans Affairs (V	(A) for disability benefits. VA will consider the information yo	
		rves the right to confirm the authenticity of ALL DBQs compl	
	SECTION I - DIAGNOSIS		
1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE E YES NO (If "Yes," complete Item 1B)	EVER BEEN DIAGNOSED WITH AMY	OTROPHIC LATERAL SCLEROSIS (ALS)?	
1B. PROVIDE ONLY DIAGNOSES THAT PERTAIN TO AMYOT	ROPHIC LATERAL SCLEROSIS (ALS	3):	
Diagnosis # 1 -	ICD code -	Date of diagnosis -	
Diagnosis # 2 -	ICD code -	Date of diagnosis -	
Diagnosis # 3 -	ICD code -	Date of diagnosis -	
1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN	I N TO AMYOTROPHIC LATERAL SCLE	EROSIS. LIST USING ABOVE FORMAT:	
	SECTION II - MEDICAL HIST	-	
2A. DESCRIBE THE HISTORY (including onset and course) O	F THE VETERAN'S ALS (brief summa	ry):	
2B. DOMINANT HAND			
	CONDITIONS, SIGNS AND SYM		
3A. DOES THE VETERAN HAVE ANY MUSCLE WEAKNESS IN	N THE UPPER AND/OR LOWER EXTR	REMITIES ATTRIBUTABLE TO ALS?	
(If "Yes," report under strength testing in Section IV, Ne	urologic Exam)		
3B. DOES THE VETERAN HAVE ANY PHARYNX AND/OR LAR	YNX AND/OR SWALLOWING CONDI	ITIONS ATTRIBUTABLE TO ALS?	
(If "Yes," check all that apply)			
PARALYSIS OF SOFT PALATE WITH SWA HOARSENESS	LEOWING DIFFICULTY (nasal regurg	guaron) and speech infarment	
MODERATE SWALLOWING DIFFICULTIES	3		
	ERMITTING PASSAGE OF LIQUIDS (DNLY	
	LLOWING DIFFICULTIES		
OTHER (describe):			
3C. DOES THE VETERAN HAVE ANY RESPIRATORY CONDITION	TIONS ATTRIBUTABLE TO ALS?		
YES NO			
(If "Yes," provide PFT results in Section XIII, Diagnosti VA FORM 21 00600 2	c Testing) SUPERSEDES VA FORM 21-09600	2.2 FER 2015	Page

SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO ALS (Continued)				
3D. DOES THE VETERAN HAVE SIGNS AND/OR SYMPTOMS OF SLEEP APNEA OR SLEEP APNEA-LIKE CONDITION ATTRIBUTABLE TO ALS?				
NOTE: If signs and/or symptoms of sleep apnea or sleep apnea-like condition are due to ALS, these symptoms are due to weakness in the palatal, pharyngeal, laryngeal, and/or respiratory musculature. A sleep study is not indicated to report symptoms of sleep apnea or sleep apnea-like conditions that are attributable to ALS.				
YES NO				
(If "Yes," check all that apply)				
PERSISTENT DAYTIME HYPERSOMNOLENCE				
REQUIRES USE OF BREATHING ASSISTANCE DEVICE SUCH AS				
	ENTION OR COR PULMONALE			
3E. DOES THE VETERAN HAVE ANY BOWEL IMPAIRMENT ATTRIBUTABLE TO ALS?	?			
YES NO				
(If "Yes," check all that apply)				
SLIGHT IMPAIRMENT OF SPHINCTER CONTROL, WITHOUT LEAF	KAGE			
CONSTANT SLIGHT IMPAIRMENT OF SPHINCTER CONTROL, OR	₹ OCCASIONAL MODERATE LEAKAGE			
OCCASIONAL INVOLUNTARY BOWEL MOVEMENTS, NECESSITA	TING WEARING OF A PAD			
EXTENSIVE LEAKAGE AND FAIRLY FREQUENT INVOLUNTARY B	OWEL MOVEMENTS			
TOTAL LOSS OF BOWEL SPHINCTER CONTROL				
OTHER BOWEL IMPAIRMENT (describe):				
3F. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING URINE LEAKAGE	E ATTRIBUTABLE TO ALS?			
YES NO				
(If "Yes," check all that apply)				
	HAN 4 TIMES PER DAY			
3G. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING SIGNS AND/OR	SYMPTOMS OF URINARY FREQUENCY ATTRIBUTABLE TO ALS?			
YES NO				
(If "Yes," check all that apply)				
DAYTIME VOIDING INTERVAL GREATER THAN 3 HOURS	NIGHTTIME AWAKENING TO VOID LESS THAN 2 TIMES			
DAYTIME VOIDING INTERVAL BETWEEN 2 AND 3 HOURS	NIGHTTIME AWAKENING TO VOID 2 TIMES			
DAYTIME VOIDING INTERVAL BETWEEN 1 AND 2 HOURS	NIGHTTIME AWAKENING TO VOID 3 TO 4 TIMES			
DAYTIME VOIDING INTERVAL LESS THAN 1 HOUR	NIGHTTIME AWAKENING TO VOID 5 OR MORE TIMES			
3H. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING FINDINGS, SIGN				
YES NO	IS AND/OR STMPTOMS OF OBSTRUCTED VOIDING ATTRIBUTABLE TO ALS?			
(If "Yes," check all signs and symptoms that apply)				
HESITANCY				
(If checked, is hesitancy marked?)				
YES NO				
SLOW OR WEAK STREAM				
(If checked, is stream markedly slow or weak?)				
YES NO				
DECREASED FORCE OF STREAM				
(If checked, is force of stream markedly decreased?)				
YES NO				
STRICTURE DISEASE REQUIRING DILATATION 1 TO 2 TIMES PER YEAR				
STRICTURE DISEASE REQUIRING PERIODIC DILATATION EVERY 2 TO 3 MONTHS				
POST VOID RESIDUALS GREATER THAN 150 cc				
URINARY RETENTION REQUIRING INTERMITTENT OR CONTINU	OUS CATHETERIZATION			
3I. DOES THE VETERAN HAVE VOIDING DYSFUNCTION REQUIRING THE USE OF A	N APPLIANCE ATTRIBUTABLE TO ALS?			
YES NO (If "Yes," describe appliance):				

3J. DOES THE VETERAN HAV	SECTION	SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO ALS (Continued)					
	3J. DOES THE VETERAN HAVE A HISTORY OF RECURRENT SYMPTOMATIC URINARY TRACT INFECTIONS ATTRIBUTABLE TO ALS?						
YES NO							
(If "Yes," check all trea	tments that apply)						
	□ NO TREATMENT						
	RM DRUG THERAPY						
			ion and indicate date	s for courses of treatment over the past 12 months)			
(i) enconce	i, nor mearcanons use	a jor armary race rejecti	ion and mateure date	s for courses of incument over the pust 12 months)			
		of hognitulization)					
	d, indicate frequency o)j nospitalization)					
	per year						
	than 2 per year –						
DRAINAG							
		n drainage performed over	-				
OTHER M	ANAGEMENT/TREAT	MENT NOT LISTED ABOV	VE (Description of m	nanagement/treatment including dates of treatment):			
3K. DOES THE VETERAN (if	<i>male)</i> HAVE ERECTIL	E DYSFUNCTION?					
	/						
(If "Yes," is the erectile dysfu	nction as likely as no	t (at least a 50% probabil	litv) attributable to A	(LS2)			
	nemon as ninery as not	(ar reast a correproduct)	<i>((())</i>				
		(;)					
(If "No," provide the etiology	of the erectile dysfun	ction):					
(If "Yes," is the veteran able	to achieve an erection	(without medication) suf	fficient for penetratio	on and ejaculation?)			
YES NO							
(If "No," is the veteran	able to achieve an ere	ection (with medication) s	sufficient for penetrat	tion and ejaculation?)			
YES NO							
		SECTION I	IV - NEUROLOGIC	EXAM			
4A. SPEECH							
	ORMAL						
(If speech is abnormal, descr							
(1) speech is abnormal, descr	<i>ibe)</i>						
4B. GAIT							
NORMAL ABNO	ORMAL (describe):						
(If gait is abnormal and the veteran has more than one medical condition contributing to the abnormal gait, identify the condition(s) and describe each condition's contribution to the abnormal gait):				normal gait, identify the condition(s) and describe e	ach condition's		
contribution to the abnormal	veteran has more than	one medical condition co	ontributing to the abr	normal gait, identify the condition(s) and describe e	ach condition's		
contribution to the abnormal	veteran has more than gait):		_	normal gait, identify the condition(s) and describe e	ach condition's		
	veteran has more than gait):		_	normal gait, identify the condition(s) and describe e	ach condition's		
contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement	eteran has more than gait): ENGTH ACCORDING	TO THE FOLLOWING SC. 2/5 No movement	CALE: against gravity	normal gait, identify the condition(s) and describe e 4/5 Less than normal strength	ach condition's		
contribution to the abnormal 4C. STRENGTH - RATE STRE	eteran has more than gait): ENGTH ACCORDING	TO THE FOLLOWING SC. 2/5 No movement	CALE: against gravity		ach condition's		
contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement	eteran has more than gait): ENGTH ACCORDING	TO THE FOLLOWING SC. 2/5 No movement	CALE: against gravity	4/5 Less than normal strength	ach condition's		
contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL	eteran has more than gait): ENGTH ACCORDING but no joint movemen	TO THE FOLLOWING SC. 2/5 No movement t 3/5 No movement	ALE: against gravity against resistance	4/5 Less than normal strength 5/5 Normal strength	ach condition's		
contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement,	Peteran has more than gait): ENGTH ACCORDING but no joint movemen RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement t 3/5 No movement	ALE: against gravity against resistance	4/5 Less than normal strength 5/5 Normal strength	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion:	Peteran has more than gait): ENGTH ACCORDING but no joint movemen RIGHT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5 [4/5 3/5]	ALE: against gravity against resistance	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5	ach condition's		
contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL	eteran has more than gait): ENGTH ACCORDING but no joint movemen RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC, 2/5 No movement a t 3/5 No movement a 4/5 3/5 [4/5 3/5 [4/5 3/5]	ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion:	eteran has more than (gait): ENGTH ACCORDING but no joint movemen RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a t 3/5 No movement a 4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5] 4/5 3/5 [3/5]	ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion:	eteran has more than gait): ENGTH ACCORDING but no joint movemen RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC, 2/5 No movement a t 3/5 No movement a 4/5 3/5 [4/5 3/5 [4/5 3/5]	ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension:	eteran has more than (gait): ENGTH ACCORDING but no joint movemen RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a t 3/5 No movement a 4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5] 4/5 3/5 [3/5]	ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a t 3/5 No movement a 4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5]	ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion:	RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement i 3/5 No movement i 4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5 [4/5 3/5]	ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion:	RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5 [4/5 3/5 [ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5 [4/5 3/5 [ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 LEFT: 5/5 LEFT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5 [4/5 3/5 [ALE: against gravity against resistance 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger)	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 LEFT: 5/5 LEFT: 5/5 LEFT: 5/5 LEFT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5 [4/5 3/5 [ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement i 3/5 No movement i 3/5 No movement i 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger) Knee Flexion:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 5/5	TO THE FOLLOWING SC. 2/5 No movement 3/5 No movement 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength 0/5 0/5 0/5 0/5 0/5 0/5 0/5 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger)	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement i 3/5 No movement i 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength □ 0/5 □ 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger) Knee Flexion: Knee Extension:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength □ 0/5 □ 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger) Knee Flexion:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement : 3/5 No movement : 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength □ 0/5 □ 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger) Knee Flexion: Knee Extension: Ankle Plantar Flexion:	Right: 5/5 LEFT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 LEFT: 5/5	TO THE FOLLOWING SC. 2/5 No movement a 3/5 No movement a 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength ○ 0/5 ○ 0/5	ach condition's		
Contribution to the abnormal 4C. STRENGTH - RATE STRE 0/5 No muscle movement 1/5 Visible muscle movement, ALL NORMAL Elbow Flexion: Elbow Extension: Wrist Flexion: Wrist Extension: Grip: Pinch: (thumb to index finger) Knee Flexion: Knee Extension:	reteran has more than 'gait): ENGTH ACCORDING but no joint movement RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5 RIGHT: 5/5 LEFT: 5/5 RIGHT: 5/5	TO THE FOLLOWING SC. 2/5 No movement : 3/5 No movement : 4/5 3/5	ALE: against gravity against resistance 2/5 1/5	4/5 Less than normal strength 5/5 Normal strength □ 0/5 □ 0/5	ach condition's		

PATIENT/VETERAN'S SOCIAL SECURITY NO.

SECTION IV - NEUROLOGIC EXAM (Continued)		
SECTION IV - NEUROLOGIC EXAM (Continued) 4D. DEEP TENDON REFLEXES (DTRs) - RATE REFLEXES ACCORDING TO THE FOLLOWING SCALE:		
0 Absent 1+ Decreased 2+ Normal 3+ Increased without clonus 4+ Increased with clonus		
ALL NORMAL		
Biceps: RIGHT: 0 1+ 2+ 3+ 4+ LEFT: 0 1+ 2+ 3+ 4+		
Triceps: RIGHT: 0 1+ 2+ 3+ 4+		
LEFT: 0 1+ 2+ 3+ 4+ Brachioradialis: RIGHT: 0 1+ 2+ 3+ 4+		
LEFT: 0 1+ 2+ 3+ 4+ Knee: RIGHT: 0 1+ 2+ 3+ 4+		
LEFT: 0 1+ 2+ 3+ 4+ Ankle: RIGHT: 0 1+ 2+ 3+ 4+		
LEFT: 0 1+ 2+ 4+		
4E. PLANTAR (Babinski) REFLEX RIGHT: Plantar flexion (normal, or negative Babinski) Dorsiflexion (abnormal, or positive Babinski) LEFT: Plantar flexion (normal, or negative Babinski) Dorsiflexion (abnormal, or positive Babinski) Dorsiflexion (abnormal, or negative Babinski)		
4F. DOES THE VETERAN HAVE MUSCLE ATROPHY ATTRIBUTABLE TO ALS?		
YES NO (If muscle atrophy is present, indicate location):		
(When possible, provide difference measured in cm between normal and atrophied side, measured at maximum muscle bulk:cm.)		
4G. SUMMARY OF MUSCLE WEAKNESS IN THE UPPER AND/OR LOWER EXTREMITIES ATTRIBUTABLE TO ALS (check all that apply): Right upper extremity muscle weakness: None Mild Moderate Severe With atrophy Complete (no remaining function) Left upper extremity muscle weakness: None Mild Moderate Severe With atrophy Complete (no remaining function)		
Right lower extremity muscle weakness: None Mild Moderate Severe With atrophy Complete (no remaining function)		
Left lower extremity muscle weakness: None Mild Moderate Severe With atrophy Complete (no remaining function)		
NOTE: If the Veteran has more than one medical condition contributing to the muscle weakness, identify the condition(s) and describe each condition's contribution to the muscle weakness:		
SECTION V - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS		
5A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?		
(If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than or equal to 39 square cm (6 square inches)? Yes No (If "Yes," ALSO complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire)		
5B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ALS?		
YES NO (If "Yes," describe, brief summary):		
SECTION VI - MENTAL HEALTH MANIFESTATIONS DUE TO ALS OR ITS TREATMENT		
6A. DOES THE VETERAN HAVE DEPRESSION, COGNITIVE IMPAIRMENT OR DEMENTIA, OR ANY OTHER MENTAL DISORDER ATTRIBUTABLE TO ALS AND/OR ITS TREATMENT? YES NO (If "Yes," complete Item 6B)		
6B. DOES THE VETERAN'S MENTAL DISORDER, AS IDENTIFIED IN ITEM 6A, RESULT IN GROSS IMPAIRMENT IN THOUGHT PROCESSES OR COMMUNICATION?		
 YES NO (If "Yes," ALSO complete VA Form 21-0960P-2, Mental Disorders (Other than PTSD) Disability Benefits Questionnaire) (Schedule with appropriate provider) (If "Yes," briefly describe the veteran's mental disorder): 		

PATIENT/VETERAN'S SOCIAL SECURITY NO

SECTION VII - HOUSEBOUND		
7A. IS THE VETERAN SUBSTANTIALLY CONFINED TO HIS OR HER DWELLING AND THE IMMEDIATE PREMISES (or if institutionalized, to the ward or clinical areas)?		
YES NO (If "Yes," complete Item 7B)		
(If "Yes," describe how often per day or week and under what circumstances the veteran is able to leave the home or immediate premises):		
7B. DOES THE VETERAN HAVE MORE THAN ONE CONDITION CO		
YES NO (If "Yes," list conditions and describe how	each condition contributes to causing the veteran to be housebound):	
	Describe how condition #1 contributes to causing the veteran to be housebound:	
Condition # 1:		
	Describe how condition #2 contributes to causing the veteran to be housebound:	
Condition # 2	ů	
Condition # 3:	Describe how condition #2 contributes to coupling the veteran to be househound:	
	Describe how condition #3 contributes to causing the veteran to be housebound:	
7C. IF THE VETERAN HAS ADDITIONAL CONDITIONS CONTRIBU	TING TO CAUSING THE VETERAN TO BE HOUSEBOUND, LIST USING FORMAT SHOWN IN	
HEWID:		
SEC	TION VIII - AID AND ATTENDANCE	
8A. IS THE VETERAN ABLE TO DRESS OR UNDRESS HIM OR HE		
	RSELF WITHOUT ASSISTANCE?	
YES NO		
(If "No," is this limitation caused by the veteran's ALS?)		
8B. DOES THE VETERAN HAVE SUFFICIENT UPPER EXTREMITY CO	DORDINATION AND STRENGTH TO BE ABLE TO FEED HIM OR HERSELF WITHOUT ASSISTANCE?	
YES NO		
(If "No," is this limitation caused by the veteran's ALS?)		
Yes No		
8C. IS THE VETERAN ABLE TO ATTEND TO THE WANTS OF NAT	URE (toileting) WITHOUT ASSISTANCE?	
(If "No," is this limitation caused by the veteran's ALS?)		
(1) No, is this limitation caused by the veteral s ALS?) Yes \square No		
	JI ASSISTANCE?	
YES NO		
(If "No," is this limitation caused by the veteran's ALS?)		
Yes No		
8E. IS THE VETERAN ABLE TO KEEP HIM OR HERSELF ORDINAF	RESENTABLE WITHOUT ASSISTANCE?	
YES NO		
(If "No," is this limitation caused by the veteran's ALS?)		
Yes No		
	DJUSTMENT OF ANY SPECIAL PROSTHETIC OR ORTHOPEDIC APPLIANCE(S)?	
YES NO (If "Yes," describe):		
NOTE: For VA purposes, "bedridden" will be that condition which	actually requires that the claimant remain in bed. The fact that claimant has voluntarily taken to bed	
or that a physician has prescribed rest in bed for the greater or lesse		
8G. IS THE VETERAN BEDRIDDEN?		
(If "Yes," is it due to the veteran's ALS?)		
Yes No		
8H. DOES THE VETERAN REQUIRE CARE AND/OR ASSISTANCE	ON A REGULAR BASIS DUE TO HIS OR HER PHYSICAL AND/OR MENTAL DISABILITIES IN ORDER	
	DR DANGERS INCIDENT TO HIS OR HER DAILY ENVIRONMENT?	
YES NO		
(If "Yes," is it due to the veteran's ALS?)		
8I. LIST ANY CONDITION(S), IN ADDITION TO THE VETERAN'S AL	.S, THAT CAUSES ANT OF THE ABOVE LIWITATIONS.	

PATIENT/VETERAN'S SOCIAL SECURITY NO.

SECTION IX - ASSISTIVE DEVICES		
SECTION IX - ASSISTIVE DEVICES 9A. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(S) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?		
L YES NO		
(If "Yes," identify assistive device(s) used (check all that apply and indicate frequency)): WHEELCHAIR Frequency of use: occasional regular constant BRACE(S) Frequency of use: occasional regular constant CRUTCH(ES) Frequency of use: occasional regular constant		
CANE(S) Frequency of use: cocasional regular constant		
WALKER Frequency of use: cocasional constant		
OTHER: Frequency of use: occasional regular constant		
9B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:		
SECTION X - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES		
10A. DUE TO ALS CONDITION, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)		
L YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN		
L NO		
(If "Yes," complete Item 10B)		
10B. INDICATE EXTREMITY(IES) (Check all extremities for which this applies)		
RIGHT UPPER LEFT UPPER RIGHT LOWER LEFT LOWER (For each checked extremity, describe loss of effective function, identify the condition causing loss of function, and provide specific examples) (brief summary):		
(1 or each checked extremity, describe loss of effective function, identify the condition clusing loss of function, and provide specific examples) (or eff summary).		
SECTION XI - FINANCIAL RESPONSIBILITY		
11. IN YOUR JUDGMENT, IS THE VETERAN ABLE TO MANAGE HIS OR HER BENEFIT PAYMENTS IN HIS OR HER OWN BEST INTEREST, OR ABLE TO DIRECT SOMEONE ELSE TO DO SO?		
YES NO		
(If "No," provide rationale):		

_

PATIENT/VETERAN'S SOCIAL SECURITY NO.

	SECTION XII - DIAGNOSTIC TESTING	
NOTE - If pulmonary function testing (PFT) is function, repeat testing is not required. DLCO a due to ALS.	indicated due to respiratory disability, and results are in the medical record and reflect and bronchodilator testing is not indicated for a restrictive respiratory disability such as	ct the veteran's current respiratory s that caused by muscle weakness
12A. HAVE PFTs BEEN PERFORMED?		
YES NO		
(If "Yes," provide most recent results, if av	ailable):	
FEV-1: % predic	ted Date of test:	
	ted Date of test:	
FEV-1/FVC:%	Date of test:	
	FLOW-VOLUME LOOP COMPATIBLE WITH UPPER AIRWAY OBSTRUCTION?	
12C. ARE THERE ANY OTHER SIGNIFICANT DI	AGNOSTIC TEST FINDINGS AND/OR RESULTS?	
(If "Yes," provide type of test or procedure, date	and results (brief summary):	
	SECTION XIII - FUNCTIONAL IMPACT	
13. DOES THE VETERAN'S ALS IMPACT HIS OF	HER ABILITY TO WORK?	
YES NO (If "Yes," describe the i	mpact of the veteran's ALS, providing one or more examples)	
	SECTION XIV - REMARKS	
14. REMARKS (If any)		
S	ECTION XV - PHYSICIAN'S CERTIFICATION AND SIGNATURE	
CERTIFICATION - To the best of my kn	owledge, the information contained herein is accurate, complete and current.	
15A. PHYSICIAN'S SIGNATURE (Sign in ink)	15B. PHYSICIAN'S PRINTED NAME	15C. DATE SIGNED
15D. PHYSICIAN'S PHONE AND FAX NUMBER	15E. NATIONAL PROVIDER IDENTIFIER (NPI) NUMBER 15F. PHYSICIAN'S ADDR	
	ISE. NATIONAL PROVIDER IDENTIFIER (NPI) NOMBER	
NOTE - VA may request additional medical info	prmation, including additional examinations, if necessary to complete VA's review of the	ne veteran's application.
IMPORTANT - Physician please fax the c	ompleted form to (VA Regional Office FAX No.)	
NOTE - A list of VA Regional Office FAX Nun	bers can be found at <u>www.benefits.va.gov/disabilityexams</u> or obtained by calling 1-8	00-827-1000.
PDIVACY ACT NOTICE: VA will not disalog	e information collected on this form to any source other than what has been authorized	d under the Privacy Act of 1074 or
	routine uses (i.e., civil or criminal law enforcement, congressional communications, ep	
	es, litigation in which the United States is a party or has an interest, the administration	
	, and personnel administration) as identified in the VA system of records, 58/VA2	
	ployment Records - VA, published in the Federal Register. Your obligation to respon	
	will help ensure that your records are properly associated with your claim file. Giving elf will not result in the denial of benefits. VA will not deny an individual benefits for a	
	a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The re-	
relevant and necessary to determine maximum b	enefits under the law. The responses you submit are considered confidential (38 U.S.C	
subject to verification through computer matchin	g programs with other agencies.	
DECOMPENT BUDDEN. We need this info	mustion to determine antitlement to herefite (20 U.S.C. 501). Title 20 United State	a Cada allows up to only for this
	rmation to determine entitlement to benefits (38 U.S.C. 501). Title 38, United State average of 30 minutes to review the instructions, find the information, and complete	
	d OMB control number is displayed. You are not required to respond to a collection of	
	ocated on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired	

VA FORM 21-0960C-2, MAY 2018

get information on where to send comments or suggestions about this form.