

NAME OF PATIENT/VETERAN

PATIENT/VETERAN'S SOCIAL SECURITY NUMBER

NOTE TO EXAMINER - The Veteran/Claimant is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim.

IS THIS QUESTIONNAIRE BEING COMPLETED IN CONJUNCTION WITH A VA 21-2507, C&P EXAMINATION REQUEST?

 YES NO

How was the examination completed (check all that apply)?

- In-person examination
 Records reviewed
 Examination via approved video telehealth
 Other, please specify in comments box:

Comments:

ACCEPTABLE CLINICAL EVIDENCE (ACE)

INDICATE METHOD USED TO OBTAIN MEDICAL INFORMATION TO COMPLETE THIS DOCUMENT:

- Review of available records (without in-person or video telehealth examination) using the Acceptable Clinical Evidence (ACE) process because the existing medical evidence provided sufficient information on which to prepare the questionnaire and such an examination will likely provide no additional relevant evidence.
- Review of available records in conjunction with an interview with the Veteran (without in-person or telehealth examination) using the ACE process because the existing medical evidence supplemented with an interview provided sufficient information on which to prepare the questionnaire and such an examination would likely provide no additional relevant evidence.

EVIDENCE REVIEW

EVIDENCE REVIEWED (check all that apply):

- Not requested No records were reviewed
 VA claims file (hard copy paper C-file)
 VA e-folder (VBMS or Virtual VA)
 CPRS
 Other (please identify other evidence reviewed):

EVIDENCE COMMENTS:

SECTION I - DIAGNOSIS

1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD A TEMPOROMANDIBULAR JOINT CONDITION?

YES NO (If "Yes," complete Item 1B)

1B. PROVIDE ONLY DIAGNOSES THAT PERTAIN TO TEMPOROMANDIBULAR JOINT CONDITIONS:

Diagnosis # 1:	ICD code:	Date of diagnosis:
Diagnosis # 2:	ICD code:	Date of diagnosis:
Diagnosis # 3:	ICD code:	Date of diagnosis:

1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO TEMPOROMANDIBULAR JOINT CONDITIONS LIST USING ABOVE FORMAT:

SECTION II - MEDICAL HISTORY

2A. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S TEMPOROMANDIBULAR JOINT CONDITION (Brief summary):

2B. DOES THE VETERAN REPORT FLARE-UPS OF THE TEMPOROMANDIBULAR JOINT?

YES NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FLARE-UPS IN HIS OR HER OWN WORDS:

2C. DOES THE VETERAN REPORT HAVING ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT OF THE TEMPOROMANDIBULAR JOINT (REGARDLESS OF REPETITIVE USE)?

YES NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:

SECTION III - INITIAL RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATIONS

NOTE - For VA Compensation purposes, the normal maximum unassisted range of vertical jaw opening is from 35 - 50 millimeters.

There are several separate parameters requested for describing function of a joint. The question of "Does this ROM contribute to a functional loss?" asks if there is a functional loss that can be ascribed to any documented loss of range of motion and unlike later questions, does not take into account the numerous other factors to be considered.

Subsequent questions take into account additional factors such as pain, fatigue, weakness, lack of endurance or incoordination. If there is pain noted on examination, it is important to understand whether or not that pain itself contributes to functional loss. Ideally a claimant would be seen immediately after that repetitive use over time or during a flare up, however, this is not always feasible.

Information regarding joint function is broken up into two subsets. First is based on repetitive use and the second functional loss associated with flare ups. The repetitive use section initially asks for objective findings after three or more repetitions of range of motion testing. The second portion provides a more global picture of functional loss associated with repetitive use over time. The latter takes into account medical probability of additional functional loss as a global view, taking into account not only the objective findings noted on the examination but also the subjective history provided by the claimant as well as review of available medical evidence.

Optimally, description of any additional loss of function should be provided as what the degrees range of motion would be opined to look like in these given scenarios. However, when this is not feasible, a clear as possible description of that loss should be provided. This same information (minus the three repetitions) is asked to be provided with regards to flare ups.

SECTION III - INITIAL RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATIONS (Continued)

3A. INITIAL ROM MEASUREMENTS

RIGHT TMJ		LEFT TMJ	
<input type="checkbox"/> Unable to test <input type="checkbox"/> Not indicated If "Unable to test" or "Not indicated", please explain:		<input type="checkbox"/> Unable to test <input type="checkbox"/> Not indicated If "Unable to test" or "Not indicated", please explain:	
Inter-incisal distance: <input type="checkbox"/> greater than 34mm <input type="checkbox"/> 30 - 34mm <input type="checkbox"/> 21 - 29mm <input type="checkbox"/> 11 - 20mm <input type="checkbox"/> 0 - 10mm			
Right: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm		Left: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm	
If ROM is outside of "normal" range, but is normal for the Veteran (for reasons other than a temporomandibular joint condition, such as age, body habitus, neurologic disease), please describe: If abnormal, does the range of motion itself contribute to a functional loss? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, please explain:		If ROM is outside of "normal" range, but is normal for the Veteran (for reasons other than a temporomandibular joint condition, such as age, body habitus, neurologic disease), please describe: If abnormal, does the range of motion itself contribute to a functional loss? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, please explain:	
Description of Pain <i>(select the best response):</i> <input type="checkbox"/> No pain noted on exam <input type="checkbox"/> Pain noted on exam on rest / non-movement <input type="checkbox"/> Pain noted on exam but does not result in / cause functional loss <input type="checkbox"/> Pain noted on examination and causes functional loss	If noted on examination, which ROM exhibited pain <i>(select all that apply):</i> <input type="checkbox"/> Mouth opening <input type="checkbox"/> Right lateral excursion Is there evidence of pain with chewing (mastication)? <input type="checkbox"/> Yes <input type="checkbox"/> No	Description of Pain <i>(select the best response):</i> <input type="checkbox"/> No pain noted on exam <input type="checkbox"/> Pain noted on exam on rest / non-movement <input type="checkbox"/> Pain noted on exam but does not result in / cause functional loss <input type="checkbox"/> Pain noted on examination and causes functional loss	If noted on examination, which ROM exhibited pain <i>(select all that apply):</i> <input type="checkbox"/> Mouth opening <input type="checkbox"/> Left lateral excursion Is there evidence of pain with chewing (mastication)? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue? <input type="checkbox"/> Yes <input type="checkbox"/> No		Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Is there objective evidence of crepitus or clicking of joints or soft tissue of the right TMJ? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes to crepitus or clicking above, describe including location, severity, and relationship to condition(s).		Is there objective evidence of crepitus or clicking of joints or soft tissue of the left TMJ? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes to crepitus or clicking above, describe including location, severity, and relationship to condition(s).	

3B. OBSERVED REPETITIVE USE

RIGHT TMJ		LEFT TMJ	
Is the veteran able to perform repetitive-use testing with at least three repetitions? <input type="checkbox"/> Yes <input type="checkbox"/> No If no, provide reason:		Is the veteran able to perform repetitive-use testing with at least three repetitions? <input type="checkbox"/> Yes <input type="checkbox"/> No If no, provide reason:	
Is there additional loss of function or range of motion after three repetitions? <input type="checkbox"/> Yes <input type="checkbox"/> No		Is there additional loss of function or range of motion after three repetitions? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Select all factors that cause this functional loss: <input type="checkbox"/> N/A <input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination	Select all factors that cause this functional loss: <input type="checkbox"/> N/A <input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination	Select all factors that cause this functional loss: <input type="checkbox"/> N/A <input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination	Select all factors that cause this functional loss: <input type="checkbox"/> N/A <input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination
ROM after 3 repetitions:			
Inter-incisal distance: <input type="checkbox"/> greater than 34mm <input type="checkbox"/> 30 - 34mm <input type="checkbox"/> 21 - 29mm <input type="checkbox"/> 11 - 20mm <input type="checkbox"/> 0 - 10mm			
Right: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm		Left: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm	

3C. REPEATED USE OVER TIME	
RIGHT TMJ	LEFT TMJ
<p>Is the Veteran being examined immediately after repetitive use over time? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If the examination is not being conducted immediately after repetitive use over time: <input type="checkbox"/> The examination is medically consistent with the Veteran's statements describing functional loss with repetitive use over time. <input type="checkbox"/> The examination is medically inconsistent with the Veteran's statements describing functional loss with repetitive use over time. <input type="checkbox"/> The examination is neither medically consistent nor inconsistent with the Veteran's statements describing functional loss with repetitive use over time.</p> <p>If the examination is medically inconsistent with the Veteran's statements of functional loss, please explain:</p>	<p>Is the Veteran being examined immediately after repetitive use over time? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If the examination is not being conducted immediately after repetitive use over time: <input type="checkbox"/> The examination is medically consistent with the Veteran's statements describing functional loss with repetitive use over time. <input type="checkbox"/> The examination is medically inconsistent with the Veteran's statements describing functional loss with repetitive use over time. <input type="checkbox"/> The examination is neither medically consistent nor inconsistent with the Veteran's statements describing functional loss with repetitive use over time.</p> <p>If the examination is medically inconsistent with the Veteran's statements of functional loss, please explain:</p>
<p>Does pain, weakness, fatigability or incoordination significantly limit functional ability with repeated use over a period of time? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unable to say without mere speculation</p> <p>If unable to say without mere speculation, please explain:</p>	<p>Does pain, weakness, fatigability or incoordination significantly limit functional ability with repeated use over a period of time? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unable to say without mere speculation</p> <p>If unable to say without mere speculation, please explain:</p>
<p>Select all factors that cause this functional loss: <input type="checkbox"/> N/A <input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination</p>	<p>Select all factors that cause this functional loss: <input type="checkbox"/> N/A <input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination</p>
<p>Are you able to describe in terms of Range of Motion? <input type="checkbox"/> Yes <input type="checkbox"/> No If no, please describe:</p>	<p>Are you able to describe in terms of Range of Motion? <input type="checkbox"/> Yes <input type="checkbox"/> No If no, please describe:</p>
<p>Inter-incisal distance: <input type="checkbox"/> greater than 34mm <input type="checkbox"/> 30 - 34mm <input type="checkbox"/> 21 - 29mm <input type="checkbox"/> 11 - 20mm <input type="checkbox"/> 0 - 10mm</p>	
<p>Right: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm</p>	<p>Left: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm</p>
3D. FLARE UPS	
RIGHT TMJ	LEFT TMJ
<p>Is the examination being conducted during a flare up? <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Is the examination being conducted during a flare up? <input type="checkbox"/> Yes <input type="checkbox"/> No</p>
<p>If the examination is not being conducted during a flare up: <input type="checkbox"/> The examination is medically consistent with the Veteran's statements describing functional loss during flare up. <input type="checkbox"/> The examination is medically inconsistent with the Veteran's statements describing functional loss during flare up. <input type="checkbox"/> The examination is neither medically consistent nor inconsistent with the Veteran's statements describing functional loss during flare up.</p>	<p>If the examination is not being conducted during a flare up: <input type="checkbox"/> The examination is medically consistent with the Veteran's statements describing functional loss during flare up. <input type="checkbox"/> The examination is medically inconsistent with the Veteran's statements describing functional loss during flare up. <input type="checkbox"/> The examination is neither medically consistent nor inconsistent with the Veteran's statements describing functional loss during flare up.</p>
<p>If the examination is medically inconsistent with the Veteran's statements of functional loss, please explain:</p>	<p>If the examination is medically inconsistent with the Veteran's statements of functional loss, please explain:</p>

3D. FLARE UPS (Continued)	
RIGHT TMJ	LEFT TMJ
<p>Does pain, weakness, fatigability or incoordination significantly limit functional ability with flare ups? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unable to say without mere speculation</p> <p>If unable to say without mere speculation, please explain:</p>	<p>Does pain, weakness, fatigability or incoordination significantly limit functional ability with flare ups? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unable to say without mere speculation</p> <p>If unable to say without mere speculation, please explain:</p>
<p>Select all factors that cause this functional loss: <input type="checkbox"/> N/A</p> <p><input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness</p> <p><input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination</p>	<p>Select all factors that cause this functional loss: <input type="checkbox"/> N/A</p> <p><input type="checkbox"/> Pain <input type="checkbox"/> Fatigue <input type="checkbox"/> Weakness</p> <p><input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination</p>
<p>Able to describe in terms of Range of Motion? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If no, please describe:</p>	<p>Able to describe in terms of Range of Motion? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If no, please describe:</p>
<p>Inter-incisal distance: <input type="checkbox"/> greater than 34mm <input type="checkbox"/> 30 - 34mm <input type="checkbox"/> 21 - 29mm <input type="checkbox"/> 11 - 20mm <input type="checkbox"/> 0 - 10mm</p>	
<p>Right: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm</p>	<p>Left: Lateral excursion: <input type="checkbox"/> greater than 4mm <input type="checkbox"/> 0 - 4mm</p>
3E. ADDITIONAL FACTORS CONTRIBUTING TO DISABILITY	
RIGHT TMJ	LEFT TMJ
<p>In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:</p> <p><input type="checkbox"/> None</p> <p><input type="checkbox"/> Less movement than normal (<i>due to ankylosis, limitation or blocking, adhesions, tendon-tie-ups, contracted scars, etc.</i>)</p> <p><input type="checkbox"/> More movement than normal (<i>from flail joints, resections, nonunion of fractures, relaxation of ligaments, etc..</i>)</p> <p><input type="checkbox"/> Weakened movement (<i>due to muscle injury, disease or injury of nerves, divided or lengthened tendons, etc.</i>)</p> <p><input type="checkbox"/> Swelling</p> <p><input type="checkbox"/> Deformity</p> <p><input type="checkbox"/> Atrophy of disuse</p> <p><input type="checkbox"/> Other, describe:</p>	<p>In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:</p> <p><input type="checkbox"/> None</p> <p><input type="checkbox"/> Less movement than normal (<i>due to ankylosis, limitation or blocking, adhesions, tendon-tie-ups, contracted scars, etc.</i>)</p> <p><input type="checkbox"/> More movement than normal (<i>from flail joints, resections, nonunion of fractures, relaxation of ligaments, etc..</i>)</p> <p><input type="checkbox"/> Weakened movement (<i>due to muscle injury, disease or injury of nerves, divided or lengthened tendons, etc.</i>)</p> <p><input type="checkbox"/> Swelling</p> <p><input type="checkbox"/> Deformity</p> <p><input type="checkbox"/> Atrophy of disuse</p> <p><input type="checkbox"/> Other, describe:</p>
SECTION IV - DIETARY RESTRICTIONS	
<p>NOTE: For VA compensation purposes, mechanically altered foods are defined as altered by blending, chopping, grinding or mashing so that they are easy to chew and swallow. There are four levels of mechanically altered foods: full liquid, puree, soft, and semisolid foods. To warrant elevation based on mechanically altered foods, the use of texture-modified diets must be recorded or verified by a physician.</p> <p>4. DOES THE VETERAN REQUIRE A MECHANICALLY ALTERED FOODS DIET, WHICH HAS BEEN PHYSICIAN VERIFIED OR DOCUMENTED, DUE TO THE TEMPOROMANDIBULAR DISORDER?</p> <p><input type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>IF YES, INDICATE THE RESTRICTIONS BELOW:</p> <p><input type="checkbox"/> Dietary restrictions to all mechanically altered foods, to include full liquid, puree foods, soft foods, and semi-solid foods</p> <p><input type="checkbox"/> Dietary restrictions to soft and semi-solid foods</p>	
SECTION V - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS	
<p>5A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?</p> <p><input type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>IF YES, DESCRIBE (<i>brief summary</i>):</p>	

SECTION V - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS (Continued)

5B. DOES THE VETERAN HAVE ANY SCARS (*surgical or otherwise*) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

YES NO

IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (*6 square inches*); OR ARE LOCATED ON THE HEAD, FACE OR NECK?

YES NO

IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.

IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.

LOCATION: _____ MEASUREMENTS: length _____ cm X width _____ cm.

NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.

5C. COMMENTS, IF ANY:

SECTION VI - DIAGNOSTIC TESTING

NOTE: The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, no further imaging studies are required by VA, even if arthritis has worsened.

6A. HAVE IMAGING STUDIES OF THE TMJ BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?

YES NO

IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?

YES NO

IF YES, SIDE AFFECTED: Right Left Both

6B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS AND/OR RESULTS?

YES NO

IF YES, SIDE AFFECTED: Right Left Both

IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, DATE AND RESULTS (*Brief summary*):

SECTION VII - FUNCTIONAL IMPACT

7. DOES THE VETERAN'S TEMPOROMANDIBULAR JOINT CONDITION IMPACT HIS OR HER ABILITY TO WORK?

YES NO

IF YES, DESCRIBE THE IMPACT OF EACH OF THE VETERAN'S TEMPOROMANDIBULAR CONDITIONS PROVIDING ONE OR MORE EXAMPLES:

SECTION VIII - REMARKS

8. REMARKS (*if any*):

SECTION IX - PHYSICIAN'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

9A. PHYSICIAN'S SIGNATURE	9B. PHYSICIAN'S PRINTED NAME	9C. DATE SIGNED
9D. PHYSICIAN'S PHONE AND FAX NUMBER	9E. MEDICAL LICENSE NUMBER & STATE	9F. PHYSICIAN'S ADDRESS

NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.